

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	@ad<"20030804" and (broadband near server) and (DSL or (digital adj subscriber adj line)) and (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:38
S2	56	@ad<"20030804" and (broadband) and (DSL or (digital adj subscriber adj line)) and (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:38
S3	0	@ad<"20030804" and (broadband with server) and (DSL or (digital adj subscriber adj line)) and (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:38
S4	26	@ad<"20030804" and ((broadband or access) adj server) and (DSL or (digital adj subscriber adj line)) and (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:42
S5	0	@ad<"20030804" and ((broadband or access) adj server) and (DSL) and (device adj identifier) and PPPoE	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:42
S6	0	@ad<"20030804" and ((broadband or access) adj server) and (DSL) and (device adj identifier) and (point adj to adj point)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:43
S7	2	@ad<"20030804" and ((broadband or access) adj server) and (DSL or PPPoE or PPP) and (device adj identifier) and chipset	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:44
S8	28	@ad<"20030804" and ((broadband or access) adj server) and (DSL or PPPoE or PPP) and (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:52
S9	0	@ad<"20030804" and (DSL or PPPoE or PPP) and receiv\$3 with DSL with (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:53
S10	1	@ad<"20030804" and (DSL or PPPoE or PPP) same receiv\$3 with (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:55
S11	2	@ad<"20030804" and (DSL or PPPoE or PPP) and receiv\$3 with (device adj identifier) and chipset	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:56
S12	1	@ad<"20030804" and (DSL or PPPoE or PPP) and host adj uniq	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:57

S13	0	@ad<"20030804" and (DSL or PPPoE or PPP) and (host near tag) and (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:57
S14	14	@ad<"20030804" and (DSL or PPPoE or PPP) and (host near tag)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:57
S15	0	@ad<"20030804" and (DSL or PPPoE or PPP) and (host near tag) and receiv\$3 with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:58
S16	12	@ad<"20030804" and (DSL or PPPoE or PPP) and (host near tag) and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:59
S17	0	@ad<"20030804" and (DSL or PPPoE or PPP) and (host near uniq) and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:59
S18	1	@ad<"20030804" and (DSL or PPPoE or PPP) and (host near uniq)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:59
S19	1	@ad<"20030804" and (broadband or DSL or PPPoE or PPP) and (host near uniq)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 18:59
S20	71	@ad<"20030804" and (broadband or DSL or PPPoE or PPP) and (device near identifier) and (access\$3 near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:00
S21	5	@ad<"20030804" and (broadband or DSL or PPPoE or PPP) and (device near identifier) same (access\$3 near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:01
S22	17	@ad<"20030804" and (broadband or DSL or PPPoE or PPP) and server with receiv\$3 with (device near identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:02
S23	0	@ad<"20030804" and (broadband or DSL or PPPoE or PPP) same server with receiv\$3 with (device near identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:01
S24	6	@ad<"20030804" and (broadband or DSL or PPPoE or PPP) and server with receiv\$3 with (device near identifier) and (firmware or chipset or uniq)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:02

S25	2	"6636505".pn. and (DSL or PPP or PPPoE or identifier or broadband)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:08
S26	2	"6636505".pn. and (DSL or PPP or PPPoE or identifier or broadband or server or chipset or uniq)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:10
S27	1	"6463528".pn. and (DSL or PPP or PPPoE or identifier or broadband or server or chipset or uniq)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:11
S28	2	"20030053443" and (DSL or PPP or PPPoE or identifier or broadband or server or chipset or uniq)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:12
S29	2	"20030131107" and (DSL or PPP or PPPoE or identifier or broadband or server or chipset or uniq)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/15 17:45
S30	0	"20030131107" and (DSL or PPP or PPPoE or chipset or uniq) and (server with receiv\$3 with identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 20:45
S31	261	@ad< "20030804" and (DSL or PPP or PPPoE or chipset or uniq) and (server with receiv\$3 with identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:23
S32	8	@ad< "20030804" and (DSL or PPP or PPPoE or chipset or uniq) and server with receiv\$3 with (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:27
S33	1	@ad< "20030804" and (DSL or PPPoE) and server near receiv\$3 with (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:27
S34	4	@ad< "20030804" and (DSL or PPPoE) and server with receiv\$3 with (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:28
S35	27	@ad< "20030804" and (DSL or PPPoE) and server with (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:31
S36	0	@ad< "20030804" and (DSL or PPPoE) and server with (device adj identifier) and chipset	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:28

S37	0	@ad< "20030804" and (DSL or PPPoE) and server with (device adj identifier) and CPE	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:28
S38	0	@ad< "20030804" and (DSL and PPPoE) and (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:31
S39	0	@ad< "20030804" and (PPPoE) and (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:31
S40	118	@ad< "20030804" and (PPPoE) and DSL	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:31
S41	78	@ad< "20030804" and (PPPoE) and DSL and (receiv\$3 or obtain\$3) and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:32
S42	25	@ad< "20030804" and (PPPoE) and DSL and (receiv\$3 or obtain\$3) with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:35
S43	0	@ad< "20030804" and (PPPoE) and DSL and (receiv\$3 or obtain\$3) with (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:32
S44	0	@ad< "20030804" and (PPPoE) and DSL and (receiv\$3 or obtain\$3) same (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:32
S45	0	@ad< "20030804" and (PPPoE) and DSL and (receiv\$3 or obtain\$3) and (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:32
S46	0	@ad< "20030804" and (PPPoE) and DSL and (device adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 19:32
S47	6	@ad< "20030804" and (PPPoE) and DSL and (receiv\$3 or obtain\$3) with identifier and (discovery adj packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 20:47
S48	0	"20020095299" and (DSL or PPP or PPPoE or chipset or uniq) and (server with receiv\$3 with identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 20:46

S49	2	"20020095299" or ikawata	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 20:46
S50	6317	@ad< "20030804" and (firmware or chipset or code) adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 20:48
S51	10	@ad< "20030804" and (DSL or PPPoE) same (firmware or chipset or code) adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:09
S52	0	@ad< "20030804" and (DSL or PPPoE) same (firmware or chipset) adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:10
S53	0	@ad< "20030804" and (DSL or PPPoE) and (firmware or chipset) adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:10
S54	0	@ad< "20030804" and (device adj identifier) and (firmware or chipset) adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:10
S55	277	@ad< "20030804" and (device adj identifier) and (firmware or chipset or type or model) adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:10
S56	39	@ad< "20030804" and (DSL or PPPoE) and (device adj identifier) and (firmware or chipset or type or model) adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:10
S57	2	@ad< "20030804" and (DSL or PPPoE) and (device adj identifier) same (firmware or chipset or type or model) adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:12
S58	470	@ad< "20030804" and (DSL or PPPoE) and (firmware or chipset or type or model) adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:12
S59	52	@ad< "20030804" and (DSL or PPPoE) and (firmware or chipset or model) adj (value or field)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:13
S60	1	@ad< "20030804" and (DSL or PPPoE) and (firmware or chipset or model) adj (value or field) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:13

S61	0	@ad< "20030804" and (DSL or PPPoE) and (firmware or chipset) adj (value or field)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:13
S62	8	@ad< "20030804" and (DSL or PPPoE) and (firmware or chipset or hardware) adj (value or field)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:19
S63	0	@ad< "20030804" and (device adj identifier) same (firmware or chipset or hardware) adj (value or field)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:19
S64	4	@ad< "20030804" and (device adj identifier) and (firmware or chipset or hardware) adj (value or field)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/14 21:19